FERMILAB/KNIPPEN'S SHOES SAFETY TOE FOOTWEAR REQUEST P.O. Number 607687

Employee Name	ID#Ext.
	Project #Task#
This employee is to be provided with o	ne pair of ANSI Class 75 safety toe footwear as indicated below. pervisor must sign this request.
INSTRUCTIONS FOR OBTAINING SAFETY TOE FOOTWEAR	
footwear. The form must be signed by your supsafety toe footwear you require. Please make an 2. Bring this form and your Fermilab I.D. card with in the parking lot behind Industrial Center Build 11:30 a.m. to 12:30 p.m.). 3. If you choose a style that costs more than the \$10 the time the order is submitted. Make check or readditional cost for medically prescribed and occur. Many styles are stocked in the shoe-mobile and will be delivered to the shoe-mobile within two states.	sk number and project number, for one pair of ANSI Class 75 safety toe ervisor, and others, as indicated. A <u>separate form</u> is required for <u>each</u> pair of d/or keep a copy of completed form for your records. you to order your safety toe footwear. The vendor "shoe-mobile" is available ing every Tuesday from 8:00 a.m. to 4:00 p.m. (closed for lunch from 0 allocated by Fermilab, you are responsible to pay the additional amount at noney order payable to "Knippen Shoes." (Note: The Lab will pay the upationally required corrections.) In the picked up immediately upon placement of the order. Other footwear weeks and can be picked up at that time. Please check with the vendor about a have any questions, contact the ESH&Q Section at Ext. 5811.
Supervisor's Signature	ID# Ext Date
	DICINE DIRECTOR MUST SIGN THIS FORM FOR FOOTWEAR REQUIRING
FNAL Occupational Medicine Director's Signature THE DIVISION/SECTION SAFETY OFFICER MUST SIG OCCUPATIONALLY-REQUIRED OPTIONS. Unusual occupationally required options required (N THIS FORM FOR FOOTWEAR REQUIRING UNUSUAL
Division/Section Safety Officer's Signature & ID#	
TO BE FILLED OUT	BY KNIPPEN REPRESENTATIVE ONLY
DATE:	
SHOE STYLE:	
SIZE:	KNIPPEN PRICE:
AMOUNT COVERED BY FERMILAB: AMOUNT COVERED BY EMPLOYEE:	\$ \$
Received by	ID No · Date·

Fermilab ES&H Manual 4130-2

WARNING: This manual is subject to change. The current version is maintained on the ESH&Q Section website